

MATERIAL SAFETY DATA SHEET

Product : FLUX FX HYDRO 32, 46, 68, 100, 150, 220, 320 & 460

Usage : Hydraulic Lubricant

: Bright & Clear **Appearance**

Manufacturer's name : RBM LUBRICANTS

Address : Jayramdanga Khaskutti Road, P.O - Barbani, Dist. - West Burdwan - 71334,

West Bengal

Phone Number : 7478146164

E Mail / Website : rbmlubricants@gmail.com / www.fluxlubricants.com

1. COMPOSITION / INFORMATION ON INGREDIENTS

Component Name CAS No. Conc. (% w/w) Non-hazardous additive blend in Mixture 100 %weight

Refine oil

2. HAZARD IDENTIFICATION

Potential Health Effects Appearance : Bright & Clear

Physical State : Liquid **Principal Routes of Exposure** : Eye contact, Skin contact, Inhalation, Ingestion

Acute Toxicity

Eyes : Irritating, but will not permanently injure eye tissue Skin : Substance minimally irritating upon direct contact. May cause slight irritation

Inhalation : Under normal conditions of use, this is not expected to be a primary route of

exposure.

Ingestion : Low toxicity if swallowed.

Other : On rare occasions, prolonged and repeated exposure to oil mist poses a risk of

pulmonary disease such as chronic lung inflammation. This condition is usually

asymptomatic as a result of repeated small aspirations.

Chronic Effects : Prolonged exposure may cause chronic effects.

3. FIRST AID MEASURES

Eye contact : Immediately flush eyes with plenty of water for at least 20 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention if symptoms occur.

Skin contact : After contact with skin, wash with plenty of soap and water. Inhalation : No treatment necessary under normal condition of uses.

: In general no treatment is necessary unless large quantities are swallowed, Ingestion

However, Get medical attention if symptoms occur.

Notes to Physician : Treat symptomatically



4. FIRE FIGHTING MEASURES

Flammable Properties : Not flammable.

Flash Point : 200°C, Min

Suitable Extinguishing Media : Water Fog. Carbon dioxide (CO2). Foam. Dry chemical.

Fire Fighting : If a significant quantity of this product is involved in a fire, call the fire brigade.

Fire and Explosion Hazards : The major hazard in fires is usually inhalation of heated and toxic or oxygen

deficient (or both), fire gases. This product is classified as a C2 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back

considerable distances.

Fire decomposition products from this product are likely to be irritating if inhaled.

Auto ignition temperature : >220°C (ASTM E 659) This temperature may be significantly lower under

particular conditions (slow oxidation on finely divided materials).

NFPA Health Hazard : 1 Flammability 1 Stability 0 Physical and Chemical Hazards

5. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Good working practices and personal hy

: Good working practices and personal hygiene standards should be maintained at all times. Wash hands after use and always before eating, drinking, smoking and before using toilet. Wash any contaminated underlying skin with soap and

water.

Environmental Precautions : Extremely slightly hazardous for water. Do not allow product to reach ground

water, water bodies or sewage system, even in small quantities.

Spillage : Shut of source of leak; soak up residue with absorbent such as Vermiculite.

Transport of disposal site in accordance with current applicable laws and regulations and product characteristics at the time of disposal or divert to

recovery area.

6. HANDLING AND STORAGE

Handling: No special precautions are necessary beyond good hygiene practice. **Storage**: Store away from heat, sparks, open flame, or strong oxidizing agent

: Store away from heat, sparks, open flame, or strong oxidizing agents in closed and properly labeled containers. Empty containers retain product residue (liquid, and/or vapor) and can be dangerous. Storage temperature 0-50°C normally.



7. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures : Additional area ventilation or local exhaust may be required to maintain air

concentrations below recommended limits.

Personal Protective

Equipment

Eye/Face Protection : Safety glasses or face shield where splashing is possible. Full face-shield to be

worn during emergencies.

Skin and Body Protection : As needed to prevent repeated skin contact. Solvent resistant gloves should be

used if needed.

Respiratory Protection Hygiene Measures

: If swallowed, seek medical advice immediately. Avoid inhalation of mist.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the laboratory and at the end of the working

Environmental exposure : Emissions from ventilation or work process equipment should be checked to

ensure they comply with the requirements of environmental protection

legislation.

8. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Bright & Clear Flash Point : 200 Min **Physical State** : Liquid **Freezing Point** - 6 Max **Specific Gravity** Flammability Limits in Air : 0.88 Typ. : NA **Boiling Point/Range** Solubility : NA : NA Auto ignition Temperature Vapor Pressure : NA : NA **Evaporation Rate** : NA PH : NA

9. STABILITY AND REACTIVITY

Chemical stability : The product is stable. Conditions to avoid : Sources of ignition

Materials to avoid : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products

products should not be produced.

Possibility of hazardous

Reactions: **Hazardous polymerization** : Under normal conditions of storage and use, hazardous reactions will not occur.

: Under normal conditions of storage and use, hazardous polymerization will not

occur.

10. TOXICOLOGICAL INFORMATION

Acute toxicity : Test on similar materials show a low order of acute oral and dermal toxicity.

Chronic Toxicity : Prolonged exposure may cause chronic effects.

Carcinogenicity : No data available. **Target Organ Effects** : No data available Genotoxicity : No data available Mutagenicity : No data available



11. ECOLOGICAL INFORMATION

Persistence in the Environment

: The product sinks in the sewage water on account of its high specific gravity; eventually it is able to pass the conventional collector for light - density

material.

Toxic Effects on organisms

: Extremely hazardous for water. Do not allow product to reach ground water,

water bodies or sewage system, even in small quantities.

Fish

: No data available. Daphnia Magna : No data available. Birds : No data available.

12. DISPOSAL CONSIDERATIONS

Product Disposal : Smaller quantities have to be disposed in line with local legislation. When

storing used products, ensure that the categories for waste oil and mixing

instructions are observed.

Container Disposal: : Empty contaminated packaging thoroughly. They can be recycled after thorough

and proper cleaning. Small one - way packaging have to be disposed according

to the local regulations.

13. TRANSPORT INFORMATION

DOT/TDG/IMDG/IATA : Not regulated.

:

14. REGULATORY INFORMATION

Imidacloprid Technical

CAS No

Component Name

15. OTHER INFORMATION

MSDS data issued

Disclaimer

The above information is intended to give general health and safety guidance on the storage and transport of the substance or product to which it relates. The requirement or recommendation of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product shall take precedence over any of the